

## LATCHES

I-Carbon latches are CNC machined from marine grade aluminium and stainless steel. They are available in anodised aluminium and high gloss polished AISI316L stainless steel, in two sizes. 50 mm and 70 mm diameter. They are suitable to lock hatches and lockers. For flush mounting. The aluminium version is available in silver or black anodising. The stainless steel version is available in high glossy finish - as a standard - Optional treatments are: shot peening, which gives a matte finish, or DLC coating, which gives a black finish, glossy or matte.

Le chiusure I-Carbon sono lavorate dal pieno, in alluminio e acciaio inox AISI316L. Sono disponibili in alluminio anodizzato e acciaio inox AISI316L lucidato a specchio, in due dimensioni: 50 mm e 70 mm. La posizione della linguetta di chiusura può essere regolata a seconda dello spessore del portello. Sono adatte per gavoni e portelli in genere. Si montano a filo. La versione in alluminio può essere richiesta con finitura silver o nera, La versione inox, è disponibile con finitura lucida - come standard - Su richiesta si può realizzare con finitura opaca, tramite pallinatura, o la finitura nera tramite trattamento DLC, effetto lucido od opaco.



#### FEATURES:

- stylish design
- CNC construction
- opening movement 0-90°
- easy installation
- low maintenance
- no drains required
- made in Italy

#### CONSTRUCTION & ACCESSORIES:

- CNC machined aluminium
- silver or black anodising
- CNC machined AISI316L
- high gloss polished finish
- optional shot peening or black DLC coating

#### CARATTERISTICHE:

- design elegante
- lavorazione CNC
- apertura con fermo a 0-90°
- facile installazione
- bassa manutenzione
- non richiede drenaggio
- made in Italy

#### COSTRUZIONE E ACCESSORI:

- alluminio lavorato dal pieno
- anodizzazione argento o nero
- acciaio inox AISI316L lavorato dal pieno
- finitura lucidato a specchio
- opzionale trattamento di pallinatura o DLC nero



Part number	Description	Material	A (Ømm)	B (Ømm)	C (Ømm)	D (Ømm)	Weight (g)
	ALUMINIUM						
LT 500s	Latch - Ø 50	Aluminum	50	44	2	68	100
LT 700s	Latch - Ø 70	Aluminum	70	64	2	68	190
LT 500b	Latch - Ø 50	Aluminum	50	44	2	68	100
LT 700b	Latch - Ø 70	Aluminum	70	64	2	68	190
	STAINLESS STEEL						
LT 500i	Latch - Ø 50	AISI316L	50	44	2	68	300
LT 700i	Latch - Ø 70	AISI316L	70	64	2	68	490



